



COLONOSCOPY SCHEDULED BEFORE 1:00PM

Seven Days Prior to Your Colonoscopy

- ✓ Stop taking Aspirin and NSAID's (Ibuprofen, Naprosyn, Mobic, Advil, Motrin, Aleve, Excedrin, Celebrex, Mobic etc.). You are allowed to take Tylenol
- ✓ Stop taking Multivitamins, Vitamin E, Iron, Fish Oils (Omega Fatty Acids, Lovaza)
- ✓ If you are on Coumadin (Warfarin), Pradaxa (Dabigatran) or Plavix (Clopidogrel) you should discuss with your Primary Care Doctor when these medications should be stopped
- ✓ **If you are a DIABETIC**, check with your Primary Care Doctor about what to do with your diabetic medication the day before and the day of the procedure

Three Days Prior to Your Colonoscopy

- ✓ Eliminate Nuts, Seeds, Salads, Fruits, Vegetables and Fiber supplements from your diet
- ✓ Purchase **1 Bottle of Miralax (at least the 119 gram bottle)** which is sold over the counter
- ✓ Purchase **1 Box Dulcolax 5mg tablets (Green Box)** which is sold over the counter
- ✓ Purchase **1 Bottle of Snapple (16 ounce size)**. Any flavor except those with a RED color.
- ✓ Purchase a box of baby wipes (moist wipes)

The Day Before Your Colonoscopy

- ✓ Follow your **Clear Liquid Diet** for the whole day. After midnight you are **NOT** allowed to have anything to eat or drink until the colonoscopy is completed the next day.
- ✓ Place the Snapple you purchased in a pitcher and mix in 4 1/2 capfuls of Miralax powder (the cap has a line where you should fill the medication to). Stir the solution well so the Miralax can dissolve, then refrigerate to make it chill.
- ✓ At around 4:00pm-430pm the day before the procedure, fill a glass with ice and drink the Snapple with over 30 minutes. At 6:00pm take 4 tablets of Dulcolax with a full glass of water. **To ensure a complete and thorough examination, complete the bowel preparation as stated above**
- ✓ After going to the bathroom, use only the baby wipes (moist wipes) to prevent irritation

The Day Of The Colonoscopy

- ✓ Unless otherwise instructed by your doctor, you may take all your **prescription** medications with a sip of water. If you have Lung Problems and use inhalers or a CPAP machine, please bring them with you
- ✓ Do not smoke the day of the procedure
- ✓ You must arrive at Dr. Demetriou office **15 minutes** prior to the scheduled **COLONIC**
□ 1205 Franklin Avenue Garden City NY 11530-Suite 150 (516) 650-3355
- ✓ Because of the medication you will receive during the procedure, **someone must accompany you home**. For the remainder of the day you will be required to rest at home and not operate a vehicle.

Cancellation Policy

- ✓ If you must cancel your procedure, please notify our office **within 24 hours** prior to your procedure. Failure to do so will result in a **\$75.00** charge to your account.



COLONOSCOPY SCHEDULED AT 1:00PM OR LATER

Seven Days Prior to Your Colonoscopy

- ✓ Stop taking Aspirin and NSAID's (Ibuprofen, Naprosyn, Mobic, Advil, Motrin, Aleve, Excedrin, Mobic, Celebrex etc.). You are allowed to take Tylenol
- ✓ Stop taking Multivitamins, Vitamin E, Iron, Fish Oils (Omega Fatty Acids, Lovaza)
- ✓ If you are on Coumadin (Warfarin), Pradaxa (Dabigatran) or Plavix (Clopidogrel) discuss with your Primary Care Doctor when these medications should be stopped
- ✓ **If you are a DIABETIC**, check with your Primary Care Doctor about what to do with your diabetic medication the day before and the day of the procedure

Three Days Prior to Your Colonoscopy

- ✓ Eliminate Nuts, Seeds, Salads, Fruits, Vegetables and Fiber supplements from your diet
- ✓ Purchase 1 **Bottle of Miralax (at least the 119 gram bottle)** which is sold over the counter
- ✓ Purchase 1 **Bottle of Snapple (16 ounce size)**. Any flavor except those with a RED color.
- ✓ Purchase 1 **Box Dulcolax 5mg tablets (Green Box)** which is sold over the counter
- ✓ Purchase a box of baby wipes (moist wipes)

The Day Before Your Colonoscopy

- ✓ You may have a **Normal BIG Breakfast** and **Early Light Lunch** (Soup & Crackers). After lunch you can **ONLY** have a **Clear Liquid Diet** (see following page)
- ✓ Place the Snapple you purchased in a pitcher and mix in 4 1/2 capfuls of Miralax powder (the cap has a line where you should fill the medication to). Stir the solution well so the Miralax can dissolve, then refrigerate to make it chill.
- ✓ At around **4:00pm-4:30pm** the day before the procedure, fill a glass with ice and drink the Snapple with over 30 minutes. At **6:00pm** take 4 Dulcolax pills at once with water. **To ensure a complete and thorough examination, complete the bowel preparation as stated above**
- ✓ After going to the bathroom, use only the baby wipes (moist wipes) to prevent irritation

The Day Of The Colonoscopy

- ✓ **By 8:30am**, take **2 tablets of Dulcolax** with a full glass of water
- ✓ You will be allowed to have a Clear Liquid Breakfast **UP UNTIL 5 hours prior to your test** (for example, if your colonoscopy is scheduled at 2:00pm you may have clear liquids up until 9:00am. After that point you are NOT allowed to have anything)
- ✓ Unless otherwise instructed by your doctor, you may take all your **prescription** medications with a sip of water. If you have Lung Problems and use inhalers or a CPAP machine, please bring them with you
- ✓ Do not smoke the day of the procedure
- ✓ You must arrive at Dr. Demetriou office **15 minutes** prior to the scheduled **COLONIC**
 - 1205 Franklin Avenue Garden City NY 11530-Suite 150 (516) 650-3355
- ✓ Because of the medication you will receive during the procedure, **someone must accompany you home**. For the remainder of the day you will be required to rest at home and not operate a vehicle.

Cancellation Policy

- ✓ If you must cancel your procedure, please notify our office **within 24 hours** prior to your procedure. Failure to do so will result in a **\$75.00** charge to your account.

Clear Liquid Diet

This diet consists of food products that are clear (things you can see through). The purpose of this type of diet is to limit the amount of food residue in the colon in order to be able to thoroughly examine the colonic wall during your colonoscopy.

Food Category	ALLOWED
Beverages	Water, Tea or Coffee(without milk), Apple Juice, Grape Juice, Soda, Ginger Ale, Gatorade, or other Clear Drinks
Desserts	Plain Jell-O (no red color), Water Ices (Italian Ices), Popsicles
Soups	Fat Free Broth, Fat Free Bouillon, Fat Free Consommé
Sweets	Hard Candy, Honey, Sugar

The above diet should be **followed strictly** in order to help ensure a thorough colonoscopic exam. No other foods are allowed with this diet, some examples of foods NOT allowed are listed below.

NOT ALLOWED
Milk, Cheese, Breads, Ice Creams, Sherbet, Eggs, Fruits, Vegetables, Meat, Poultry, Fish

Sample Meal Pattern

Breakfast: 1 glass of apple juice, 1 cup of Jell-O, 1 cup of tea with sugar
10am Snack: 1 glass of ginger ale, 1 cup of Jell-O
Lunch: 1 cup of chicken broth, 1 glass of carbonated beverage
3pm Snack: 1 cup of tea with sugar, 1 cup of Jell-O
Dinner: 1 cup of vegetable consommé, 1 glass of fruit Juice
8pm Snack: 1 cup of Italian ice, 1 cup of Jell-o

⬇ Remember, always keep yourself well hydrated